Journal of Microbiological Method 2 (1984) 353-355
Elsevier

Author index

Adams, L.B., see Xu, H.-S., 221
Alderson, G., see Minnikin, D.E., 233
Aleixo, J.A.G., Swaminathan, B. and Minnich, S.A.
Salmonella detection in foods and feeds in 27 hours by an enzyme immunoassay, 135
Allison, D.G. and Sutherland, I.W.
A staining technique for attached bacteria and its correlation to extracellular carbohydrate production, 93
Aragno, M., see Glauser, M., 159
Arst, H.N. Jr., see Brownlee, A.G., 83
Athalye, M., see Minnikin, D.E., 233
Aylmore, R.C. and Todd, N.K.
A microculture chamber and improved method for combined light and electron microscopy of filamentous fungi, 317

Brownlee, A.G. and Arst, H.N. Jr.
Quench correction incorporated carbon-14 in *Aspergillus nidulans* on filter discs, 83

Cappenberg, Th.E., see Hordijk, C.A., 49
Cohen, P.S., see Laux, D.C., 27
Colwell, R.R., see MacDonell, M.T., 1
see Xu, H.-S., 221
Crane, D.D., Martin, L.D. and Hirsh, D.C.
Detection of *Salmonella* in feces by using Felix-01 bacteriophage and high-performance liquid chromatography, 251

Dart, P.J., see Giller, K.E., 307
Day, J.M., see Giller, K.E., 307
Davis, J.D., see Gehron, M.J., 165
De Kloet, S.R.
Radpid procedure for the isolation of high molecular weight RNA and DNA from yeast using lyticase and sodium dodecyl sulfate, 189
De la Cochetiere-Collinet, M.-F., see Larsson, L., 9

Edwards, R.T., see Findlay, S.E.G., 57

Farkaš, V., see Hrmová, M., 257
Findlay, S.E.G., Meyer, J.L. and Edwards, R.T.
Measuring bacterial production via rate of incorporation of [^{3}H]thymidine into DNA, 57
Firstenberg-Eden, R. and Zindulis, J.
Electrochemical changes in media due to microbial growth, 103

Gehron, M.J., Davis, J.D., Smith, G.A. and White, D.C.
Determination of the gram-positive bacterial content of soils and sediments by analysis of teichoic acid components, 165
Gillan, F.T. and Hogg, R.W.
A method for the estimation of bacterial biomass and community structure in mangrove-associated sediments, 275
Giller, K.E., Day, J.M., Dart, P.J. and Wani, S.P.
A method for measuring the transfer of fixed nitrogen from free-living bacteria to higher plants using $^{15}N_2$, 307
Ginnaga, A., see Imaizumi, A., 339
Glauser, M., Jenni, B. and Aragno, M.
An inexpensive, automatic gas meter for laboratory-scale methane digesters and other gas-evolving systems, 159
Goodfellow, M., see Minnikin, D.E., 233
– see Minnikin, D.E., 243
– see Nahaie, M.R., 73
Gusberti, F.A. and Syed, S.A.
Development of a miniaturized nitrate reduction test for the identification of oral bacteria, 333

Hagenaars, C.P.C.M., see Hordijk, C.A., 49
Hall, M.J., Kern, A.C., Middleton, R.F. and Worthington, H.E.C.
Roche Susceptibility Test (RST) medium, a defined formulation for susceptibility testing. II. Manufacture, stability and use, 215

Hall, M.J. Nisbet, L.J., Westmacott, D. and Wong-Kai-In, P.
Roche Susceptibility Test (RST) medium, a defined formulation for susceptibility testing. I. Nutrient interaction and optimization studies, 203
Harwood, C.R., see Nahaie, M.R., 73
Hirsch, D.C., see Crane, D.D., 251
Hogg, R.W., see Gillan, F.T., 275
Hordijk, C.A., Hagenaars, C.P.C.M. and Cappenberg, Th.E.
Analysis of sulfate at the mud-water interface of freshwater lake sediments using indirect photometric chromatography, 49
Hrmová, M., Farkaš, V. and Kopecká, M.
Isolation of anucleated yeast protoplasts by means of density gradient centrifugation, 257
Huq, A., see Xu, H.-S., 221
Huq, M.I., see Xu, H.-S., 221

Imaizumi, A., Suzuki, Y., Ginnaga, A., Sakuma, S. and Sato, Y.
A new culturing method for production of filamentous hemagglutinin of *Bordetella pertussis*, 339

Jenni, B., see Glauser, M., 159
Joubert, J.J., Van Rensburg, E.J. and Pitout, M.J.
A plate method for demonstrating the breakdown of heparin and chondroitin sulphate by bacteria, 197

Kern, A.C., see Hall, M.J., 215
Kopecká, M., see Hrmová, M., 257
Krumbein, W.E., see Stal, L.J., 295

Larsson, L., Sällström-Baum, S. and De la Cochetiere-Collinet, M.-F.
A two-step extraction procedure for concentrating acidic organic volatiles in aqueous solution prior to gas chromatographic head-space analysis, as exemplified by short-chain fatty acids produced by *Bacillus cereus*, 9
Laux, D.C., McSweegan, E.F. and Cohen, P.S.
Adhesion of enterotoxigenic *Escherichia coli* to immobilized intestinal mucosal preparations: a model for adhesion to mucosal surface components, 27
Litsky, W., see Wun, C.-K., 265

MacDonell, M.T., Russek, E. and Colwell, R.R.
An interactive microcomputer program for the computation of most probable number, 1
Mackowiak, P.A. and Marling-Cason, M.
A comparative analysis of in vitro assays of bacterial adherence, 147
Malik, K.A.
A new method for liquid nitrogen storage of phototrophic bacteria under anaerobic conditions, 41
Marling-Cason, M., see Mackowiak, P.A., 147
Martin, L.D., see Crane, D.D., 251
Mayberry, W.R.
Relatively simple methodology for the determination of configuration of unsaturation of bacterial monounsaturated fatty acids: application to the unsaturates of *Legionella* spp., 177
McSweegan, E.F., see Laux, D.C., 27
Meyer, J.L., see Findlay, S.E.G., 57
Middleton, R.F., see Hall, M.J., 215
Minnich, S.A., see Aleixo, J.A.G., 135
Minnikin, D.E., Minnikin, S.M., O'Donnell, A.G. and Goodfellow, M.
Extraction of mycobacterial mycolic acids and other long-chain compounds by an alkaline methanolysis procedure, 243
Minnikin, D.E., O'Donnell, A.G., Goodfellow, M., Alderson, G., Athalye, M., Schaal, A. and Parlett, J.H.
An integrated procedure for the extraction of bacterial isoprenoid quinones and polar lipids, 233
Minnikin, S.M., see Minnikin, D.E., 243
Müller, H.E.
ABTS peroxidase medium as a highly sensitive plate assay for detection of hydrogen peroxide production in bacteria, 101

Nahaie, M.R., Goodfellow, M. and Harwood, C.R.
A rapid screening procedure for staphylococcal plasmids, 73
Nisbet, L.J., see Hall, M.J., 203

O'Donnell, A.G., see Minnikin, D.E., 233
– see Minnikin, D.E., 243

Parlett, J.H., see Minnikin, D.E., 233
Parry, S.H., Rooke, D.M. and Sussman, M.
Analysis of mannose-resistant adhesins of *Escherichia coli* by a naturally occurring glycoprotein receptor analogue, 323
Payne, W.J.
Influence of acetylene on microbial and enzymatic assays, 117
Pitout, M.J., see Joubert, J.J., 197

Rahman, R., see Xu, H.-S., 221
Roberts, N.C., see Xu, H.-S., 221
Rooke, D.M., see Parry, S.H., 323
Russek, E., see MacDonell, M.T., 1

Sakuma, S., see Imaizumi, A., 339
Sällström-Baum, S., see Larsson, L., 9
Sato, Y., see Imaizumi, A., 339
Schaal, A., see Minnikin, D.E., 233
Scheffers, W.A., see Verduyn, C., 15
Siebeling, R.J., see Xu, H.-S., 221
Smith, G.A., see Gehron, M.J., 165
Stal, L.J., Van Gemerden, H. and Krumbein, W.E.
The simultaneous assay of chlorophyll and bacteriochlorophyll in natural microbial communities, 295
Sussman, M., see Parry, S.H., 323
Sutherland, I.W., see Allison, D.G., 93
Suzuki, Y., see Imaizumi, A., 339
Swaminathan, B., see Aleixo, J.A.G., 135
Syed, S.A., see Gusberti, F.A., 333

Todd, N.K., see Aylmore, R.C., 317

Van Dijken, J.P., see Verduyn, C., 15
Van Gemerden, H., see Stal, L.J., 295
Van Rensburg, E.J., see Joubert, J.J., 197
Verduyn, C., Van Dijken, J.P. and Scheffers, W.A.
Colorimetric alcohol assays with alcohol oxidase, 15

Wani, S.P., see Giller, K.E., 307
West, P.A., see Xu, H.-S., 221
Westmacott, D., see Hall, M.J., 203
White, D.C., see Gehron, M.J., 165
Wong-Kai-In, P., see Hall, M.J., 203
Worthington, H.E.C., see Hall, M.J., 215
Wun, C.-K. and Litsky, W.
A TLC-GLC procedure for the quantitation of algal photosynthetic pigments and their degradation products, 265

Xu, H.-S., Roberts, N.C., Adams, L.B., West, P.A., Siebeling, R.J., Huq, A., Huq, M.I., Rahman, R. and Colwell, R.R.
An indirect fluorescent antibody staining procedure for detection of *Vibrio cholerae* serovar 01 cells in aquatic environmental samples, 221

Zindulis, J., see Firstenberg-Eden, R., 103

Journal of Microbiological Method 2 (1984) 357–358
Elsevier

Subject index

ABTS peroxidase medium, 101
Alcohol assay, 15
Alcohol oxidase, 15
Alkaline methanolysis, 243
Anaerobic conditions, 41
Anaerobic digestion, 159
Anucleated protoplasts, 257
Aquatic environment, 221
Aspergillus nidulans, 83

Bacillus, 9
Bacterial production, 57
- adherence, 147
- adhesion, 27
- attachment, 93
- biomass, 275

Bacteriochlorophylls *a, c, d, e*, 295
(Bacterio)pheophytin, 295
Beta self-absorption, 83
Biogas, 159

Capacitance, 103
Catalase, 15
Cereals, 307
Chlorophyll, 265
Chlorophyll *a*, 295
Chlorophyllide, 265
Chondroitin sulphate, 197
Community structure, 165, 275
Comparative analysis, 147
Conductance, 103
Configuration of unsaturation, 177
Cytology, 317
Cyclodextrin, 339

Defined media, 197, 215
Density gradient centrifugation, 257
Detection, 101
Dihydroxylation, 177
DNA synthesis, 57

Elemental sulfur, 295
ELISA, 339
Enzyme immunoassay, 135
Epidemiology, 73
Exopolysaccharide, 93

Fatty acids, 275
Feces, 251
Felix-01 bacteriophage, 251
Fermentation, 15
Filamentous fungi, 317
Filamentous hemagglutinin, 339

Gas chromatography, 9, 265
Gas meter, 159
Glucose uptake, 83
Glycolipids, 233
Gram-positive bacteria, 165
Grasses, 307
Growth media, 197
Head-space, 9
Heparin, 197
Heparinase, 197
High-performance liquid chromatography, 251
Hydatid cyst fluid, 323
Hydrogen peroxide-producing bacteria, 101

Impedance, 103
Indirect fluorescent antibody staining, 221
Indirect photometric chromatography, 49
Interactive microcomputer program, 1
Intestinal mucosa, 27
In vitro assay, 27, 147

Legionella, 177
Light microscopy, 93
Lipid extraction, 233
Liquid nitrogen, 41
Long-chain compounds, 243
Long-term preservation, 41
Lyticase, 189

Mannose-resistant Haemagglutinins, 323
Menaquinones, 233
Microbial ecosystem, laminated, 295

Microcomputer, 1
Microculture chamber, 317
Minimum inhibitory concentration determination, 203
Mud-water interfaces, 49
Mycobacteria, 243
Mycolic acid, 243

Nitrogen fixation (associative), 307
Nitrogen-15 fixation, 307
Nucleic acid, 189
Number, computation of most probable, 1

Oral bacteria, 333

P_1 blood group substance, 323
Peroxidase, 15
Pertussis toxin, 339
Pertussis vaccine, 339
P-fimbriae, 323
Pheophorbide, 265
Pheophytin, 265
Phospholipids, 233
Phototrophic bacteria, 41
Phytol, 265
Plasmids, 73
Polar lipids, 233

Quench correction, 83

Rapid detection, 135
Rapid nitrate reduction test, 333
Reagent, 333

Saccharomyces cerevisiae, 257
Salmonella, 135, 251
Screening, 73
Sediments, 165, 275
Serovar 01, 221
Sodium dodecyl sulfate, 189
Soils, 165
Solid nitrate reduction test, 333
Sorghum, 307
Staphylococcus, 73
Susceptibility testing, 203
Susceptibility test media, 215
Sulfate profiles, 49
System peaks, 49

Teichoic acid, 165
Thin layer, 265
Thin-layer chromatography, 243
Thymidine, 57

Ubiquinones, 233
Ultrastructure, 317
Uropathogenic *Escherichia coli*, 323

Vibrio cholerae, 221
Volatiles, 9

Yeast, 15, 189, 257
Yeast monitoring, 103